

Blazo X 42 CARGO BS6 Specifications

Specification	Details
Model	Blazo X 42 CARGO BS6
GVW	42000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	6100 mm/ 6770 mm
Gear Box	Eaton 6 Speed
Clutch (Diameter)	395 mm Diaphragm with clutch wear indicator organic type
Gradeability	19.60%
Suspension - Front	Tag - Semi Elliptical Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Solo Banjo Type Single Reduction
Tyres	STD : 295/ 90R20 + 10R20
Fuel Tank Capacity (litre)	415 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with Reinforcement
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Battery Rating	150 Ah
Cabin	Single Sleeper Cab (AC Optional)
Max. Speed	80 km/h (Regulated)
Min. Ground Clearance	264 mm
Body Size	8564 mm/ 9448.8 mm

ATS System

BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

Blazo X 42 PUSHER AXLE BS6 Specifications

Specification	Details
Model	Blazo X 42 PUSHER AXLE BS6
GVW	42000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	6770 mm
Gear Box	Eaton 6 Speed
Gradeability	19.60%
Suspension - Front	Parabolic Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Wheels & Tyres	295/ 90R 20 + 10R20 (Tube Radial Mixed)
Fuel Tank Capacity (litre)	415 litre
AdBlue® Tank Capacity	50 litre
Steering	Tilt & telescopic Power Steering
Brakes	Full air S-Cam, 10 bar System
System Voltage	24 V (2X12)
Variants	Cabin
Load Body Length	8534 mm
Cabin	Single Sleeper (AC Optional)
Max. Geared Speed	80 km/h (with Speed Limiter)
Tipper Chassis	Tipper CBC Chassis with PTO available.
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC